

Structure-aware OCR

Sofia Santos (A89615)
Mestrado em Engenharia Informática
Universidade do Minho
Ano Letivo 2022/23

January 17, 2023

Contents

1	Introduction	4
2	State of the Art	4
2.1	OCR Tools	4
2.2	OCR Engines	5
3	Problem Definition	6
3.1	System Architecture	7
4	Development	7
4.1	Graphical User Interface	8
5	Usage Example	10
6	Case studies	13
7	Conclusion	16
A	Newspaper image - Tesseract Output	17
B	Newspaper image - OCRTicle Output	20

List of Figures

1	System architecture diagram. Interactions within OCRticle are represented with solid lines and interactions with the "outside" are represented with dotted lines.	7
2	Article internal structure - example.	8
3	Distinct options for line breaks in output file. The first option mimics the original image.	9
4	Image that Max wants to convert to structured text.	10
5	Article selection screen. The red rectangle represents an "exclusion zone" that won't be considered by OCRticle.	11
6	Article preview screen.	11
7	Article preview screen after Max's changes.	12
8	File containing Max's article, correctly formatted.	12
9	File containing Max's article without any formatting.	13
10	Image of a newspaper page used for testing.	14
11	Article selection screen for case study 1.	15

List of Tables

1	Comparison of some OCR tools.	5
---	---------------------------------------	---

Abstract

...

1 Introduction

Up until the end of the 20th century, if someone needed to convert a physical document into a digital format, the easiest methods to do so would be to either transcribe the document manually, which takes a lot of time and effort, or, alternatively, scan or take a photograph of the document. This second option is a lot easier and faster, but it doesn't allow us to directly edit or manipulate the document's contents.

Throughout the last couple of years, as the fields of computer vision and machine learning keep advancing, Optical Character Recognition, or OCR, has become a common solution for this kind of problem. Despite some version of OCR existing as early as 1914 [1], OCR tools only became popular and accessible from the early 2000s onward, mostly through web services like WebOCR [19]. Using an OCR tool, one is capable of creating a digital copy of a scanned physical document as a textual file, instead of as an image [21].

However, most OCR tools are limited to a textual output. In other words, if an image contains text with varying font sizes, indentation or colors, inputting this image into an OCR tool will generate a string of pure text without any of that "extra" information.

Although this is perfectly acceptable for many use cases, there are scenarios where it would be useful for the converted text to maintain some of its original structure. For example, if scanning a newspaper page, one would want to keep each article as a separate file or section within a file.

The main goal of this report is to provide a general overview of existing OCR tools, their strengths and limitations, and to showcase a prototype tool capable of performing OCR while keeping the original text's structure as intact as possible.

2 State of the Art

This chapter will cover the current state of OCR tools and some of their main features. It also mentions and describes Tesseract, one of the most used OCR engines nowadays.

2.1 OCR Tools

Most available OCR tools can be described as "basic", and a simple online search for the term "online OCR" will reveal hundreds of websites that perform this type of OCR. Using these tools, a user can upload a file, usually an image, and the tool will process it and return the string of text it found on the image. These tools offer very little customization, as they are meant to be used by anyone, regardless of previous knowledge in character recognition software, with most of them only allowing users to select the language in which the text is written and if the output file should be a text file, a PDF file or a Microsoft Word file, for example [10][13].

One of these tools that stands out from the rest is Google Lens [15]. This tool, available on mobile devices, allows the user to use their smartphone’s camera to capture an image containing text. After taking this picture, the user can interactively select and copy the text recognized in the picture. Google Lens also excels at recognizing handwritten text and other kinds of text that traditional tools struggle with [2], mainly due to Google’s investment in Machine Learning algorithms.

Some tools also offer the possibility to create a special PDF file containing the original scanned document, but with an invisible text layer above the images [6]. This way, users can still see the original document but also select the text found in it, as if it were a regular PDF file. This method is a possible solution to structure-aware OCR, and is used by search engines in order to find text in PDF files composed only of images [5]. However, the text itself is not structured, it only appears to be, thus it is not the best solution for this problem.

Table 2.1 contains a list of some popular OCR tools [4] and the main features supported by each. This list only includes tools that can be used for free. Paid tools tend to offer most, if not all of these features, but the author did not find any additional feature offered by a paid tool that was not also part of a free tool. By default, all of these tools support textual output.

Tool	Recognize text in Portuguese	Auto-rotation	Table recognition	Restrict OCR to part of file/image	Create searchable PDF	Create DOCX file
OCRSpace [12]	X	X	X		X	
FreeOCR [9]						X
OnlineOCR [10]	X	X	X		X	X
Google Lens [15]	X	X		X		
Text Grab [18]				X		

Table 1: Comparison of some OCR tools.

It’s worth noting that different tools have different use cases, and may therefore appear to have fewer features. For example, Google Lens uses a smartphone’s camera to capture and detect text, unlike the other tools, and Text Grab allows the user to take a screenshot of their computer and immediately recognize text from the captured image, so it makes sense that these tools don’t focus on features like creating searchable PDFs.

2.2 OCR Engines

Although the aforementioned tools perform optical character recognition, they are merely wrappers for OCR engines. An OCR engine is the software responsible for recognizing the characters in an image and converting them to text [20]. Applications like Text Grab use these engines to bring OCR functionality to their tools, and are meant to be more user-friendly and intuitive than purely using an engine.

One of the most widely used OCR engines is called Tesseract. It can be used directly via command line, through a 3rd party tool or by using an API written for a programming language [16]. Examples of Tesseract APIs include Python-tesseract [14] or Tesseract.js [17], which can be used by programmers to create applications with OCR functionalities.

Tesseract supports dozens of languages [11] and offers a wide assortment of options [16]. One of these is related to page segmentation, and affects how Tesseract detects text in an image. By default, Tesseract tries to divide the original picture into segments, which can be titles or columns of text, for example. Then, it performs OCR on each of those segments. If the output format is a textual format, this will mean that the final text will be split into segments. However, each one of these segments has the same font and size, making it impossible to distinguish between a title and a regular sentence, for example, without context. This default behavior can be changed, if one desires. For example, Tesseract can interpret the entire picture as a single word, and will try to read it as such.

Additional options include output formatting, which can be a PDF file, a text file or an hOCR file (HTML compatible file, with additional information about the original text's structure), for example, or an option to let Tesseract detect words from a user-provided list.

Since Tesseract is just an OCR engine with no image processing functions, many users feel the need to apply pre-processing effects to their images before inputting them in Tesseract, in order to improve the text detection [3]. These may include changes in contrast, brightness, size or even converting the image to black-and-white, to avoid issues with colored text/backgrounds.

3 Problem Definition

This paper proposes the creation of a program capable of performing Optical Character Recognition on a file, while maintaining its original structure. For this purpose, a prototype called **OCRticle** was developed, in order to showcase the benefits of this approach to OCR. Unlike already existing solutions that convert a file to a PDF file with invisible text, this tool creates a purely textual file. In order to have a structured textual file, this file uses Markdown [8], a markup language [7].

OCRticle was developed in the Python programming language and uses the Tesseract OCR engine. This decision stems from the author's experience with Python, the robustness of Tesseract and its Python library, `pytesseract` and the ability to easily and rapidly create a command-line or graphical application with Python.

The application focuses primarily on detecting text from newspapers or magazine pages, essentially pages with one or more articles, as its name implies. In practice, it can scan any type of document, but it might not be able to preserve its structure.

OCRticle has a Graphical User Interface (GUI), developed using the Kivy framework, where a user can select a source image containing the article(s) they want to convert. Then, they can select each article's position within the image. This allows the tool to focus less on discerning between different articles and more on formatting each one independently. After this step, the tool performs OCR on each image section and display the results to the user, who can then save the detected text in a Markdown file.

3.1 System Architecture

The system follows an architecture similar to the one shown in Figure 1.




Figure 1: System architecture diagram. Interactions within OCRticle are represented with solid lines and interactions with the "outside" are represented with dotted lines.

OCRticle is composed of a front-end and a back-end. The front-end is responsible for user interaction and uses the Kivy module to render a GUI. After receiving user input, the front-end sends data to the back-end, the "brain" of the program. The back-end processes data and generates results, in this case, a formatted article or group of articles. It also communicates with Tesseract, sending it images and receiving data about the text present in them.

4 Development

The first step in development consisted of creating a simple program capable of converting an image into an intermediate representation (IR). This IR holds information about the text and additional context about the OCR process, for example, the dimension of the bounding box where the text was located. The pytesseract module already has a method `image_to_data` which can convert an image into a data structure (e.g., TSV file, dictionary or `pandas` dataframe). However, this data structure contains more data than necessary, so it became necessary to simplify it and make it easier to navigate and access. Hence, this information is filtered and converted into instances of Python classes.

Four classes were created for this purpose: Article, Block, Paragraph and Line. The last three classes simply mirror the information returned by pytesseract, which splits text into pages, blocks, paragraphs, lines and words. Since this tool will only work with individual pages, the first category is not needed, and the fifth category, words, is represented as a list in the Line class, since there is no need to store extra information about each word. Besides a list of words, the Line class also contains information about its height. This information is useful because Tesseract might sometimes classify two lines as being part of different

paragraphs, or two paragraphs as being part of different blocks, which is not always the case. If we assume that lines of the same paragraph and paragraphs of the same block should have text of the same size, by storing each line's height, we can compare the height of different lines and paragraphs, and infer if two lines/paragraphs should be part of the same paragraph/block. For this purpose, the Paraphaph class contains a `get_line_height` method, which returns the average height of all its lines. Similarly, the Block class contains an equal method, but one which returns the average height of its paragraphs' lines.

Blocks have an additional instance variable, `type`, which can be one of four different values: TITLE, TEXT, QUOTE, or CODE. These types should match the role of the text inside the block in the original article. When saving the final file generated by OCRticle, each block type has a different representation, according to the Markdown syntax [8].

Figure 2 illustrates the internal representation of an article.




Figure 2: Article internal structure - example.

This particular article is composed of three blocks, one of which is the article's title, another a block of text, and the third one a quote.

4.1 Graphical User Interface

After these classes were developed, the main step in creating OCRticle arose, building the GUI.

When opening the application, the interface contains a window where the user can select an image to be analyzed. This step can be skipped if OCRticle is opened through the command line and given a file path as an argument. After selecting an image, the next window of the application allows the user to select the articles present in the image by drawing rectangles over them. Optionally, users can select areas for the program to ignore. For example, if the original articles contain images with text, one could select the image as an area to be excluded, so that Tesseract won't detect the text in the image. There are also options to control the image's brightness, contrast, and saturation. This is particularly useful if the original image is not well-lit or has a lot of colors in it.

After the user selects the articles in the image, OCRticle divides the image into segments, based on the drawn rectangles, and feeds those segments to Tesseract, which proceeds to detect the text within those images. Then, the tool creates instances of the Article class, each containing the text from a different

article. When creating these instances, the program performs an optimization step, where it tries to group together different blocks or paragraphs, based on how they end. For example, if a paragraph ends with a hyphen and the next one begins with a lowercase letter, it probably means that Tesseract failed to detect both lines as part of the same paragraph, and the program will try to automatically fix that mistake.

In addition, OCRticle also tries to detect an article's title. To do this, it analyses every block from the scanned text and finds the one with the biggest font size, which it then tags as the article's title. In the final file, this is represented with a pound sign (#) before the block, which is used in Markdown to define a heading. If every block has a similar font size, OCRticle doesn't do anything, to avoid mislabeling a block, although this can still happen if the block with the biggest font size is not the article's title.

In case of mislabeling, OCRticle allows the user to manually label each detected block before saving the final file. These labels correspond to the block types mentioned previously. OCRticle also joins blocks that it believes are similar enough to be of the same type. For example, if an article has two columns, each with some paragraphs, and Tesseract returns one block for each column, OCRticle will try to figure out if those blocks have the same structure and should therefore be merged. If OCRticle doesn't merge two blocks, for some reason, the user can perform that merge automatically, through a button in the article preview screen.

Another feature offered by OCRticle, which is not present in most OCR tools, is the possibility to include or exclude line breaks inside each paragraph. Typical OCR tools, when scanning a document, will preserve each line in the original image as a separate line in the final text. However, in the original document, the text is only split into multiple lines due to the limited size of the paper. On a computer screen, which is typically wider than a piece of paper, it might not make sense to preserve the original line breaks. Therefore, after scanning a picture, there's an option in the application to remove the original line breaks, and keep each paragraph as a single continuous line. This behavior mimics computer text editors, like Microsoft Word, where the line breaks are artificially created by the software in order to make the text fit in the screen, while the text remains stored as a single line. Figure 3 illustrates this difference, with the newline characters highlighted in red.




Figure 3: Distinct options for line breaks in output file. The first option mimics the original image.

Line breaks will always be removed in titles because headings in Markdown cannot be split into multiple lines.

Moreover, OCRticle will join words if they are broken into different lines.

After a user has confirmed the labels for each articles' blocks, OCRticle

allows them to save the formatted text as a Markdown file. This file can then be opened in a Markdown viewer and it will be displayed according to the preferences set by the user before saving.

5 Usage Example

This section illustrates a usage scenario for OCRticle.

In this scenario, a user called Max wants to convert an image with an article to text while keeping the article's structure, so Max uses OCRticle for this purpose. Max's original image can be seen in Figure 4.

Lorem Ipsum

 Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce elementum consequat sapien, quis vehicula neque euismod eu. Sed et sapien in orci molestie elementum vitae in orci. Nunc consequat urna at finibus pellentesque. Nunc eget consectetur mi, non convallis odio. Curabitur semper enim id ipsum sagittis finibus. Aenean at bibendum diam, nec semper ipsum.

⚠ BLACK FRIDAY SALE: UP TO 30% OFF

 Suspendisse tincidunt tempor erat. Ut aliquet auctor malesuada. Proin laoreet vulputate diam, ac mollis eros volutpat id. Quisque maximus nec est et egestas. Cras venenatis nulla pellentesque gravida feugiat. Nam iaculis sem nec luctus consectetur. Vivamus at felis vehicula, molestie nunc nec, auctor risus. Vivamus tempus sagittis finibus. Curabitur tincidunt neque sagittis, sollicitudin ex id, consequat dui.

"Neque porro quisquam est qui dolorem ipsum quia dolor sit amet, consectetur, adipisci velit..."

 Vestibulum sollicitudin eros eu pellentesque egestas. Suspendisse libero sem, suscipit semper sem ac, mattis pellentesque arcu. Donec vestibulum ultrices neque, non fringilla dui hendrerit ac. Duis pellentesque neque nec cursus faucibus. Aliquam ut hendrerit nisi, eget consectetur nunc. Phasellus imperdiet velit non diam cursus dignissim. Duis eu enim quis risus molestie elementum in eu quam. Praesent sit amet consequat erat, id sollicitudin neque.

Figure 4: Image that Max wants to convert to structured text.

Max starts by opening OCRticle and selecting the image from their computer. This particular image is stored as a PNG file, but Tesseract accepts any kind of image format.

Then, OCRticle asks Max to select the article or articles from the image. Since this image only has one article, Max can simply press "Submit" and OCRticle would assume that the entire image contains just one article. However, since the image also contains an advertisement, Max uses the "Exclude from article" drawing mode to draw a red rectangle over the banner, thus excluding it from being scanned by Tesseract.




Figure 5: Article selection screen. The red rectangle represents an "exclusion zone" that won't be considered by OCRticle.

In addition, since the image has a purely white background and black text, Max has no need to use the brightness, contrast or saturation sliders. However, these options would be useful if the image did not have a white background, or if it wasn't bright enough for the text to be easily read.

After pressing "Submit" on the article selection screen, Max is taken into the next window, the article preview screen.




Figure 6: Article preview screen.

Here, the text from the image is divided into logical blocks, each representing a section of the original article. OCRticle correctly identified the article's title, but it didn't identify the quote as being a quote, instead labeling it as "TEXT". Thus, Max proceeds to click on the "TEXT" button besides the corresponding block, which opens a drop-down menu where they can select the "QUOTE" option, changing the block into a quote block.

The first two paragraphs of the text were split into different blocks because of the empty space in the image caused by the removal of the advertisement. Therefore, Max presses the "Merge above" button on the second text block, in

order to merge it with the first.

Max also selects the "Keep line breaks" option, since they want the final text to match the original image as best as possible.




Figure 7: Article preview screen after Max's changes.

Figure 7 shows the same screen as Figure 6, but now with Max's changes applied to the article.

Finally, Max presses the "Save article(s)" button, which takes them into the final screen of the application, where Max is asked to save a file containing the text from the previous screen, correctly formatted.

When opened with a Markdown file viewer, Max's final file looks like the file in Figure 8.




Figure 8: File containing Max's article, correctly formatted.

Both the article's title and the quote are presented as such, while the rest of the article is displayed as normal text. The line breaks were removed because the Markdown viewer used to display this file removes them automatically, but they are present in the file itself, which can be seen in Figure 9.

```

1 # Lorem Ipsum
2
3
4
5    Lorem ipsum dolor sit amet, consectetur adipiscing elit. Fusce elementum consequat sapien, quis
6    vehicula neque euismod eu. Sed et sapien in orci molestie elementum vitae in orci. Nunc consequat
7    urna at finibus pellentesque. Nunc eget consectetur mi, non convallis odio. Curabitur semper enim
8    id ipsum sagittis finibus. Aenean at bibendum diam, nec semper ipsum.
9
10   Suspendisse tincidunt tempor erat. Ut aliquet auctor malesuada. Proin laoreet vulputate diam, ac
11    mollis eros volutpat id. Quisque maximus nec est et egestas. Cras venenatis nulla pellentesque
12    gravida feugiat. Nam iaculis sem nec luctus consectetur. Vivamus at felis vehicula, molestie nunc
13    nec, auctor risus. Vivamus tempus sagittis finibus. Curabitur tincidunt neque sagittis, sollicitudin ex
14    id, consequat dui.
15
16
17   > "Neque porro quisquam est qui dolorem ipsum quia dolor sit amet, consectetur, adipisci
18   > velit ...
19
20
21
22
23   Vestibulum sollicitudin eros eu pellentesque egestas. Suspendisse libero sem, suscipit semper sem
24   ac, mattis pellentesque arcu. Donec vestibulum ultrices neque, non fringilla dui hendrerit ac. Duis
25   pellentesque neque nec cursus faucibus. Aliquam ut hendrerit nisi, eget consectetur nunc. Phasellus
26   imperdiet velit non diam cursus dignissim. Duis eu enim quis risus molestie elementum in eu quam.
27   Praesent sit amet consequat erat, id sollicitudin neque.
28

```

Figure 9: File containing Max’s article without any formatting.

6 Case studies

Throughout OCRticle’s development, several tests were conducted. Some of those tests are highlighted in this section as case studies.

In order to verify how OCRticle fared against real pictures, instead of computer screenshots, we took some pictures of newspapers and used them to test the application.

One of these images can be seen in Figure 10. It contains four articles written in Portuguese.

This image is a good case study, since it has poor illumination, is slightly tilted, the articles are broken into columns and some of them have images in the middle.

When this image is given to plain Tesseract, the output has many formatting issues. The most notable is articles being merged together, such as:

```
(OMaximinos

Young Volunteam
Grupo de voluntários
cria banco de produtos
para carenciados

Docentes visitaram as instalações da escola, na Rua Santa Margarida

ções do pólo e interacção com os
alunos, tendo este sido um dos
aspectos mais interessantes des-
te encontro, Este foi um dos vá-
rios momentos de divulgação do
ensino profissional da Profite-
cla, sempre dentro de uma estra-
tégia de internacionalização do
seu projecto educativo, um ca-
```



Figure 10: Image of a newspaper page used for testing.

minho que será para continuar no intuito de extrair todas as mais valias possíveis para os

team, um grupo de voluntários do Agrupamento de Escolas de Maximinos pretende criar um banco de produtos oferecidos pela comunidade educativa do agrupamento. Estes produtos serão disponibilizados a quem deles necessitar.

Here, the two bottom articles were merged together, creating a nonsensical text.

The full output can be consulted in Appendix A.

On the other hand, when using OCRticle, every article remains separated and with their lines in the correct order, even with multiple columns and pictures in the original image.

OCRticle can easily distinguish between different articles since the user is

asked to manually select them from the image, a task which takes a couple of seconds but produces a much better output. The brightness, contrast and saturation sliders also allow the user to improve image quality without having to manually edit the image through an external tool.




Figure 11: Article selection screen for case study 1.

For the same two articles as above, here is the output produced by OCRticle, formatted in order to occupy less space, but with the same structure:

Projecto 'Leonardo da Vinci'

Profitecla recebe docentes da Macedónia

ESCOLAS | Redacção |

A Escola Profissional Profitecla recebeu, na passada sexta-feira, um grupo de professores oriundo da cidade de Bitola, na Macedónia. O grupo de docentes, que está em Portugal no âmbito do projecto 'Leonardo da Vinci', em parceria com a Associação Intercultural Amigos da Mobilidade, tem como objectivo conhecer melhor o projeto educativo da Escola Profissional Profitecla de Braga e assim trocar experiências sobre o funcionamento do ensino profissional nos dois países. O referido encontro teve lugar nas instalações da escola, na Rua de Santa Margarida e contou com um momento final de visita às instalações do pôlo e interacção com os alunos, tendo este sido um dos aspectos mais interessantes deste encontro. Este foi um dos vários momentos de divulgação do ensino profissional da Profitecla, sempre dentro de uma estratégia de internacionalização do seu projecto educativo, um caminho que será para continuar no intuito de extrair todas as mais valias possíveis para os alunos, para a escola e acima de tudo para que os bons métodos de trabalho dos diversos países possam servir de exemplo para uma estratégia de melhoria continua do ensino.

@Maximinos

Young Volunteam Grupo de voluntarios cria banco de produtos para carenciados

Integrado no projecto Young Volunteam, um grupo de voluntários do Agrupamento de Escolas de Maximinos pretende criar um banco de produtos oferecidos pela comunidade educativa do agrupamento. Estes produtos serão disponibiliza dos a quem deles necessitar.

Os interessados podem entregar os produtos na na escola secundária (bloco 2) e no Centro Escolar da Naia (coordenadora) - os seguintes produtos: calçado, produtos de higiene, cobertores, mochilas e material escolar que deverá estar em boas condições.

As dádivas serão sujeitas a um processo de triagem após o qual serão disponibilizados aos alunos interessados na sua reutilização.

As well as correctly identifying both of the articles' titles, OCRTicle was also able to join consecutive lines that were part of the same paragraph, as well as joining words that were split into two lines. This makes the final text much more readable on a computer screen.

OCRTicle only failed in detecting the second article's title, because it was divided into two lines, which Tesseract classified as different blocks. However, this is easily fixable within OCRTicle's GUI.

There are some errors in the text, but that's due to Tesseract failing to correctly identify the text from the image. OCRTicle does not possess any text post-processing features.

As before, the full unedited output can be consulted in Appendix B.

7 Conclusion

A Newspaper image - Tesseract Output

Centro Escolar da Naia
mostra 'As Maias'

EXPOSIÇÃO patente ao público dá a conhecer, através de vários trabalhos, uma tradição secular: a \Festa das Maias.

ESCOLAS
| Redacção |

O Centro Escolar da Naia, em Maximinos, tem patente desde o início do corrente mês uma exposição sobre "As Maias".

A mostra é constituída por várias coroas, de várias tonalidades, preparadas por professores e alunos que dão, nesta altura, outro colorido ao centro escolar do Agrupamento de Escolas de Maximinos.

Vários povos e países celebram o primeiro de Maio | que se apresenta com carácter universal | ritualizando praxes semelhantes às nossas, a lembrar remotíssimos cultos agrários ou festas solares, onde se revelam origens de uma comunidade predominantemente pastoril. Este e outros rituais cíclicos do calendário aparecem, por vezes, associados às Florais festas em louvor de Flora, deusa das flores e dos jardins e mãe da Primavera, realizadas em Roma em Maio. Antigamente cantavam-se as Maias, como ainda hoje se can-

Projecto 'Leonardo da Vinci

Profitecla recebe docentes da Macedónia

ESCOLAS
| Redacção |

A Escola Profissional Profitecla

recebeu, na passada sexta-feira, um grupo de professores oriundos da cidade de Bitola, na Macedónia. /

O grupo de docentes, que está em Portugal no âmbito do projecto \'Leonardo da Vinci\", em parceria com a Associação Intercultural Amigos da Mobidade, tem como objectivo conhecer melhor o projeto educativo da Escola Profissional Profitecla de Braga e assim trocar experiências sobre o funcionamento do ensino profissional nos dois países.O referido encontro teve lugar nas instalações da escola, na Rua de Santa Margarida e contou com um momento final de visita às instala-

Um dos exemplares que integra esta exposição
tam as Janeiras.

A Festa das Maias assume variadíssimas formas, demonstrando uma heterogeneidade notável

ISCOLA PROFISSIONAL.

na nossa vivência do mito.

Existem tradições que associam a colocação das Maias, ao \'diabo\".

PROFITECLA

4 de Maio 2014 correiodominho, pt

O S. Lázaro

Sessão para idosos
Biblioterapia lembra o conto

\'Q Flautista de Hamelin"

A última sessão de biblioterapia para idosos que teve lugar na sede da

União de Freguesias de S. Lázaro e S. João Souto lembrou o conto \O Flautista de Hamelin/ reescrito pela primeira vez pelos irmãos Grimm. Trata-se de um conto folclórico que narra a história de um desastre incomum aconcedido na cidade de Hamelin, na Alemanha.

A iniciativa, da autoria das técnicas Celeste Magro e Conceição Marques, da Biblioteca Lúcio Craveiro da Silva, foi animada com a técnica de role-playing, onde os seniores presentes têm uma intervenção bastante activa no desenrolar da história. Ao cantar e dançar exercitam-se a nível físico.

A biblioterapia para idosos surge de uma parceria já longa entre a União de Freguesias de S. Lázaro e S. João Souto e a biblioteca Lúcio Craveiro da Silva e tem como principais propósitos proporcionar momentos recreativos através da brincadeira e do lazer e também recontar histórias aos seniores, histórias essas que lhes foram contadas quando eram mais novos. Socializar e estimular a imaginação dos mais velhos também são objectivos destas sessões.

Para João Pires, presidente daquela União de Freguesias, \estas sessões de biblioterapia para idosos são um verdadeiro sucesso, sucesso esse demonstrado pelo crescente número de adesões a esta iniciativa em conjunto com a biblioteca Lúcio Craveiro da Silva". -

(OMaximinos

Young Volunteam
Grupo de voluntários
cria banco de produtos
para carenciados

Docentes visitaram as instalações da escola, na Rua Santa Margarida

ções do pólo e interacção com os alunos, tendo este sido um dos aspectos mais interessantes deste encontro, Este foi um dos vários momentos de divulgação do ensino profissional da Profite-

cla, sempre dentro de uma estratégia de internacionalização do seu projecto educativo, um caminho que será para continuar no intuito de extrair todas as mais valias possíveis para os

team, um grupo de voluntários do Agrupamento de Escolas de Maximinos pretende criar um banco de produtos oferecidos pela comuni-

dade educativa do agrupamento.
Estes produtos serão disponibiliza-
dos a quem deles necessitar.

produtos na na escola secundária
(bloco 2) e no Centro Escolar da

produtos: calçado, produtos de hi-
giene, cobertores, mochilas e ma-
terial escolar que deverá estar em

Integrado no projecto Young Volun-

Os interessados podem entregar os |
Naia (coordenadora) - os seguintes
|

alunos, para a escola e acima de
tudo para que os bons métodos
de trabalho dos diversos países
possam servir de exemplo para
uma estratégia de melhoria con-
tinua do ensino.

boas condições.

As dádivas serão sujeitas a um pro-
cesso de triagem após o qual serão
disponibilizados aos alunos interes-
sados na sua reutilização. ná

B Newspaper image - OCRTicle Output

Centro Escolar da Naia mostra 'As Maias'

EXPOSICAO patente ao publico da a conhecer, através de varios
trabalhos, uma tradição secular: a'Festa das Maias.

ESCOLAS | Redacção |

O Centro Escolar da Naia, em Maximinos, tem patente desde o início do corrente mês uma exposição sobre 'As Maias'.

A mostra é constituída por várias coroas, de várias tonalidades, preparadas por professores e alunos que dão, nesta altura, outro colorido ao centro escolar do Agrupamento de Escolas de Maximinos.

Vários povos e países celebram o primeiro de Maio -que se apresenta com carácter universal -ritualizando praxes semelhantes às nossas, a lembrar remotíssimos cultos agrários ou festas solares, onde se revelam origens de uma comunidade predominantemente pastoril. Este e outros rituais cíclicos do calendário aparecem, por vezes, associados às Florais festas em louvor de Flora, deusa das flores e dos jardins e mãe da Primavera, realizadas em Roma em Maio. Antigamente cantavam-se as Maias, como ainda hoje se cantam as Janeiras.

A Festa das Maias assume variadíssimas formas, demonstrando uma heterogeneidade notável na nossa vivência do mito.

Existem tradições que associam a colocação das Maias, ao "diabo".

@S. Lazaro

Sessão para idosos Biblioterapia lembra o conto

'O Flautista de Hamelin'

A última sessão de biblioterapia para idosos que teve lugar na sede da União de Freguesias de S. Lázaro e S. João Souto lembrou o conto 'O Flautista de Hamelin' reescrito pela primeira vez pelos irmãos Grimm. Trata-se de um conto folclórico que narra a história de um desastre incomum aconcedido na cidade de Hamelin, na Alemanha.

A iniciativa, da autoria das técnicas Celeste Magro e Conceição Marques, da Biblioteca Lúcio Craveiro da Silva, foi animada com a técnica de roleplaying, onde os seniores presentes têm uma

intervenção bastante activa no desenrolar da história. Ao cantar e dançar exercitam-se a nível físico.

A biblioterapia para idosos surge de uma parceria já longa entre a União de Freguesias de S. Lázaro e S. João Souto e a biblioteca Lúcio Craveiro da Silva e tem como principais propósitos proporcionar momentos recreativos através da brincadeira e do lazer e também recontar histórias aos seniores, histórias essas que lhes foram contadas quando eram mais novos. Socializar e estimular a imaginação dos mais velhos também são objectivos destas sessões.

Para João Pires, presidente daquela União de Freguesias, "estas sessões de biblioterapia para idosos são um verdadeiro sucesso, sucesso esse demonstrado pelo crescente número de adesões a esta iniciativa em conjunto com a biblioteca Lúcio Craveiro da Silva". -

Projecto 'Leonardo da Vinci'

Profitecla recebe docentes da Macedónia

ESCOLAS | Redacção |

A Escola Profissional Profitecla recebeu, na passada sexta-feira, um grupo de professores oriundo da cidade de Bitola, na Macedónia. O grupo de docentes, que está em Portugal no âmbito do projecto 'Leonardo da Vinci', em parceria com a Associação Intercultural Amigos da Mobilidade, tem como objectivo conhecer melhor o projeto educativo da Escola Profissional Profitecla de Braga e assim trocar experiências sobre o funcionamento do ensino profissional nos dois países. O referido encontro teve lugar nas instalações da escola, na Rua de Santa Margarida e contou com um momento final de visita às instalações do pólo e interacção com os alunos, tendo este sido um dos aspectos mais interessantes deste encontro. Este foi um dos vários momentos de divulgação do ensino profissional da Profitecla, sempre dentro de uma estratégia de internacionalização do seu projecto educativo, um caminho que será para continuar no intuito de extrair todas as mais valias possíveis para os alunos, para a escola e acima de tudo para que os bons métodos de trabalho dos diversos países possam servir de

exemplo para uma estratégia de melhoria continua do ensino.

@Maximinos

Young Volunteam Grupo de voluntarios cria banco de produtos para carenciados

Integrado no projecto Young Volunteam, um grupo de voluntários do Agrupamento de Escolas de Maximinos pretende criar um banco de produtos oferecidos pela comunidade educativa do agrupamento. Estes produtos serão disponibilizadas a quem deles necessitar.

Os interessados podem entregar os produtos na escola secundária (bloco 2) e no Centro Escolar da Naia (coordenadora) - os seguintes produtos: calçado, produtos de higiene, cobertores, mochilas e material escolar que deverá estar em boas condições.

As dívidas serão sujeitas a um processo de triagem após o qual serão disponibilizados aos alunos interessados na sua reutilização.

Bibliography

- [1] Herbert F. Schantz. *The history of OCR, optical character recognition*. Recognition Technologies Users Association, 1982.
- [2] James Vincent. *Google lens can now copy and paste handwritten notes to your computer*. May 2020. URL: <https://www.theverge.com/2020/5/7/21250556/google-lens-copy-paste-handwritten-notes-computer-phone-ios-android>.
- [3] Kaan Kuguoglu. *How to use image preprocessing to improve the accuracy of Tesseract*. July 2021. URL: <https://towardsdatascience.com/getting-started-with-tesseract-part-ii-f7f9a0899b3f>.
- [4] *12+ best free OCR software for windows [2022 updated list]*. Sept. 2022. URL: <https://www.softwaretestinghelp.com/ocr-software-for-pc/>. (accessed: 2022-10-19).
- [5] *Google answers whether it's better to OCR text in pdfs or not*. Aug. 2022. URL: <https://iloveseo.com/seo/google-answers-whether-its-better-to-ocr-text-in-pdfs-or-not/>.

- [6] Trey Harris. *Converting a scanned document into a compressed, searchable PDF with redactions*. Sept. 2022. URL: <https://medium.com/@treyharris/converting-a-scanned-document-into-a-compressed-searchable-pdf-with-redactions-63f61c34fe4c>.
- [7] *An introduction to markup*. URL: <https://port.sas.ac.uk/mod/book/view.php?id=568&chapterid=336>.
- [8] Matt Cone. *Markdown Guide*. URL: <https://www.markdownguide.org/>.
- [9] *FreeOCR*. URL: <http://www.paperfile.net/>.
- [10] *Image to text converter using OCR Online*. URL: <https://www.onlineocr.net/>.
- [11] *Languages supported in different versions of Tesseract*. URL: <https://tesseract-ocr.github.io/tessdoc/Data-Files-in-different-versions.html>.
- [12] *OCRSpace*. URL: <https://ocr.space/>.
- [13] *Online OCR - free OCR PDF Document Scanner & converter*. URL: <https://www.sodapdf.com/ocr-pdf/>.
- [14] *Pytesseract*. URL: <https://pypi.org/project/pytesseract/>.
- [15] *Search what you see*. URL: <https://lens.google/>.
- [16] *Tesseract user manual*. URL: <https://tesseract-ocr.github.io/tessdoc/>.
- [17] *Tesseract.js: Pure javascript OCR for 100 languages!* URL: <https://tesseract.projectnaptha.com/>.
- [18] TheJoeFin. *TheJoeFin/text-grab: Use OCR in Windows 10 quickly and easily with text grab. with optional background process and popups*. URL: <https://github.com/TheJoeFin/Text-Grab>.
- [19] *WebOCR & OnlineOCR*. URL: <http://www.expervision.com/ocr-software/webocr-onlineocr>.
- [20] *What is OCR (Optical Character Recognition)? - AWS*. URL: <https://aws.amazon.com/what-is/ocr/>.
- [21] *What is optical character recognition (OCR)?* URL: <https://www.ibm.com/cloud/blog/optical-character-recognition>.