

SpikeInSubset

April 2, 2010

SpikeIn

Subset of Affymetrix SpikeIn Experiment Data

Description

Probe-level and pre-processed data for six arrays (two triplicates) from the HGU95 and HGU133 SpikeIn experiments.

Usage

```
data(spikein95)
data(rma95)
data(mas95)
```

```
data(spikein133)
data(rma133)
data(mas133)
```

Format

SpikeIn is `ProbeSet` containing the `PM` and `MM` intensities for a gene spiked in at different concentrations. Use `pData` to see the concentrations.

Source

`spikein95` and `spikein133` are instances of `ProbeSet` with the probe-level data for six arrays (two triplicates) from the HGU95 and HGU133 SpikeIn experiments respectively. `rma95` and `rma133` contain the data pre-processed with RMA. `mas95` and `mas133` contain the data pre-processed with `mas5` (expression and present/absent calls). The calls are in objects called `pacalls95` and `pacalls133`.

For more information see Irizarry, R.A., et al. NAR (2003) <http://www.biostat.jhsph.edu/~ririzarr/papers/index.html>

`hgu133a.spikein.xhyb`*Cross hybridizers*

Description

Probe Sets likely to crosshybridize to spiked-in probesets in the Affymetrix HGU133A spike in

This object is list. Each component of the list contains probeset names of possible crosshybridizers. The sequences of each spiked-in clone were collected and blasted against all HG-U133A target sequences. Target sequences are the ~600bp regions from which probes were selected. Thresholds of 100, 150 and 200bp were used and define the three components of the list.

Usage

```
data(hgu133a.spikein.xhyb)
```

Format

A list

Source

Simon Cawley <simon_cawley@affymetrix.com>

Index

*Topic **datasets**

hgu133a.spikein.xhyb, [2](#)
SpikeIn, [1](#)

hgu133a.spikein.xhyb, [2](#)

mas133 (*SpikeIn*), [1](#)
mas95 (*SpikeIn*), [1](#)

pacalls133 (*SpikeIn*), [1](#)
pacalls95 (*SpikeIn*), [1](#)
ProbeSet, [1](#)

rma133 (*SpikeIn*), [1](#)
rma95 (*SpikeIn*), [1](#)

SpikeIn, [1](#)
spikein133 (*SpikeIn*), [1](#)
spikein95 (*SpikeIn*), [1](#)